

TopTechnology

Euromax

Maximised display area for chilled food and beverages



For all shop concepts and all products


Euromax is suitable for multiple shop formats including retail, petrol stations, convenience stores and forecourt kiosks. Its market-leading display area is just the start. Euromax is versatile and can be used to sell dairy products, salads, meat products, beverages and even pet food. Its temperature performance is exceptional ensuring the most delicate products stay fresh and continue to look appealing. This is the one-stop shopping cabinet that enables even the smallest store to offer an extensive product range.

Side and canopy lights, glass end panels and a large display opening present all the delicacies at their best.

Euromax is available with thermo glass doors. It can be delivered either as a plug-in or as an open remote cabinet according to customer needs.

Technical specifications

Euromax




Model	EUROMAX-90-M	EUROMAX-125-M	EUROMAX-195-M
Body colour	Grey or white	Grey or white	Grey or white
Inner body	Galvanised steel	Galvanised steel	Galvanised steel
External length (mm)	880	1250	1925
External depth (mm)	880	880	880
External height (mm)	1980	1980	1980
Internal length (mm)	830	1200	1875
Internal depth (mm)	470	470	470
Internal height (mm)	1500	1500	1500
Weight (net/gross kg)	244/264	310/330	453/473
Refrigerated area (m2)	2,10	3,15	5,08
Gross volume (l)	575	835	1305
Temperature range (°C)	+0...+2	+0...+2	+0...+2
Power input (W)	1168	2022	2934
Power supply (V/Hz)	230/50	230/50	230/50
Fuse (A)	10	16	16
Running amps (A)	6,9	11,9	14,7
Energy consumption (kWh/24h)	22,4	30,9	40,3
Energy consumption (kWh/24h) with night blind	17,7	24,4	31,8
Defrost (W)	250	350	650
Refrigerant	R404A	R404A	R404A
Refrigerant charge (g)	750	2 x 550	2 x 1000

Technical specifications Euromax with glass doors



Model	EUROMAX-125-M with glass doors	EUROMAX-195-M with glass doors
Body colour	Grey or white	Grey or white
Inner body	Galvanised steel	Galvanised steel
External length (mm)	1250	1925
External depth (mm)	880	880
External height (mm)	1980	1980
Internal length (mm)	1200	1875
Internal depth (mm)	470	470
Internal height (mm)	1500	1500
Weight (net/gross kg)	335/355	491/511
Refrigerated area (m ²)	3,15	5,08
Gross volume (l)	835	1305
Temperature range (°C)	+0...+2	+0...+2
Power input (W)	1006	1700
Power supply (V/Hz)	230/50	230/50
Fuse (A)	10	16
Running amps (A)	6,0	10,6
Energy consumption (kWh/24h)	14,0	21,8
Defrost (W)	350	650
Refrigerant	R404A	R404A
Refrigerant charge (g)	550	2 × 500





Refrigeration systems
product catalogue
at App store.

Austria
Viessmann Ges.m.b.H.
Telephone +43 72 42 623 81-100
info@viessmann.at
www.viessmann.at

Denmark
Norpe ApS
Telephone +45 4120 5420
marketing@norpe.fi
www.norpe.dk

Estonia
Norpe Eesti Oü
Telephone +372 675 5150
info@norpe.ee
www.norpe.ee

Finland
Norpe Oy
Telephone +358 19 537 8000
marketing@norpe.fi
www.norpe.com
Norpe Suomi Oy
Telephone +358 19 537 8000
marketing@norpe.fi
www.norpe.fi

France
Viessmann Technique du Froid S.à.r.l.
Telephone +33 3 87291700
france@viessmann-refrigeration.com/fr
www.viessmann.fr

Germany
Viessmann K hlsysteme GmbH, Hof
Telephone +49 9281 814-0
Viessmann K hlsysteme GmbH, Mainz
Telephone +49 61315 7046-17
kuehlsysteme@viessmann.de
www.viessmann.de

Ireland
Viessmann Refrigeration Systems Limited
Telephone +353 1 617 7930
sales@viessmann-coldtech.ie
www.viessmann.co.uk

Latvia
Norpe Latvia
Telephone +371 6782 8449
info@norpe.lv
www.norpe.com

Norway
Norpe AS
Telephone +47 3336 3500
post@norpe.no
www.norpe.no

Poland
Viessmann Systemy Chłodnicze Sp. z o.o.
Telephone +48 22 882 0020
norpe@norpe.pl
www.viessmann.pl

Russia
Viessmann Group – Norpe Moscow
Norpe St. Petersburg
Telephone +7 499 277 1260
www.viessmann.ru

Sweden
Norpe AB
Telephone +46 8 5941 1200
info@norpe.se
www.norpe.se

Switzerland
Viessmann (Schweiz) AG
Telephone +41 56 418 67 11
info@viessmann.ch
www.viessmann.ch

United Arab Emirates
Viessmann Middle East FZE
Telephone +971 43724247
refrigeration@viessmann.ae
www.viessmann.ae

United Kingdom
Viessmann Refrigeration Systems Limited
Telephone +44 1952 457157
sales@viessmann-coldtech.co.uk
www.viessmann.co.uk